



- SEALED 46 – 51
- FULL FRAME 52 – 55
- HALF FRAME 56 – 63
- FRAMELESS 64 – 69
- READERS 70 – 73
- OVER THE SPECTACLE 74 – 75
- GOGGLES 76 – 80
- ACCESSORIES 81 – 82

# HAVE AN EYE FOR SAFETY


Experts believe that proper eye protection could have prevented 90% of eye injuries in accidents. 1 in 10 eye injuries result in one or more days away from work.

Source: Prevent Blindness

## FEATURES




## SELECTION CHART



## CERTIFICATIONS

- ANSI Z87.1+ High Impact ●
- CE EN166 ●
- Cert. Mod. - CAN/CSA Z94.3-15 third-party certification ●
- AS/NZS 1337 ●
- MIL-PRF-32432 High Velocity Impact Standards ●

## MARKING CONFIRMATIONS



# TREATMENTS

## H2MAX ANTI-FOG COATING

The innovative technology behind the **H2MAX** creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The **H2MAX** anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g of weight. **H2MAX** passes ANSI Z87.1 standards, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.



**WATCH THE VIDEO**  
Vimeo.com/Pyramex/H2MAX

**i** H2MAX products can be cleaned with Pyramex lens cleaning towelettes. Do not use abrasive cleaning compounds, solvents, ammonia, or alkaline cleaners.

## H2X ANTI-FOG COATING

**H2X** provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, **H2X** will continue to be effective because the coating is bonded to the lenses. The **H2X** anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. **H2X** passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

# TECHNOLOGY

## POLYCARBONATE

All Pyramex safety eyewear utilize polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99% protection from the sun's harmful UV rays. They are lightweight and include a scratch-resistant coating to prevent surface scratches.

## POLARIZED

Polarized lenses eliminate glare, increase visual clarity and enhance contrast all while reducing eye strain. We offer polarized options in forest gray, sky red mirror, green mirror, blue mirror and gray.

## PHOTOCHROMIC

Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.

# COLORS

## VISIBLE LIGHT TRANSMISSION

When light passes through a lens, some of it is absorbed and some of it is reflected back. The amount of light that passes through is known as the visible light transmission (VLT) and is represented by a percentage. Lens colors with a higher percentage of VLT will be lighter and allow more light to pass through, while lens colors with a lower percentage of VLT will be darker, blocking more light from reaching your eyes.

94% Clear	51% I/O Mirror	20% Sun Block Bronze	11% Smoke Green Mirror
89% Amber	43% Purple Haze	18% Antique Mirror	10% Forest Gray
84% Photochromic	38% Vermilion	18% Blue Mirror	10% Ice Orange Mirror
82% Pink	27% Coffee	18% Gold Mirror	10% Smoke Green
71% Infinity Blue	27% Multi-color Mirror	18% Green Mirror	7% Dark Gray
66% 1.5 IR Filter	27% Sandstone Bronze	18% Silver Mirror	2% 5.0 IR Filter
64% Arc	27% Shooter's Amber	14% Sky Red Mirror	
61% Orange	23% Bronze	13% Ice Blue Mirror	
52% Light Gray	23% Gray	11% 3.0 IR Filter	

## APPLICATIONS

Use our suggested lens color guide to help decide which lens is best for the task at hand.

### Outdoor Use

Light Gray
I/O Mirror
Coffee
Multi-color Mirror
Sandstone Bronze
Gray
Sun Block Bronze
Blue Mirror
Gold Mirror
Green Mirror
Silver Mirror
Sky Red Mirror
Ice Blue Mirror
Forest Gray
Ice Orange Mirror
Dark Gray
Polarized Gray
Polarized Blue Mirror
Polarized Green Mirror
Polarized Sky Red Mirror
Polarized Forest Gray

### Excessive Glare

Light Gray
I/O Mirror
Gray
Blue Mirror
Gold Mirror
Green Mirror
Silver Mirror
Sky Red Mirror
Ice Blue Mirror
Forest Gray
Ice Orange Mirror
Dark Gray
Polarized Gray
Polarized Blue Mirror
Polarized Green Mirror
Polarized Sky Red Mirror
Polarized Forest Gray

### Indoor Use

Clear
Amber
Pink
Infinity Blue
Orange
I/O Mirror
Purple Haze
Amber
Pink
Infinity Blue
Orange
Purple Haze
Shooter's Amber
Sun Block Bronze

### Low Light

Amber
Pink
Infinity Blue
Orange
Purple Haze
Shooter's Amber
Sun Block Bronze

### Enhance Contrast

Amber
Pink
Infinity Blue
Orange
Purple Haze
Vermilion
Sandstone Bronze
Shooter's Amber

### Welding


1.5 IR Filter
Arc - 1.5 IR Filter
3.0 IR Filter
5.0 IR Filter

**i** 1.5 IR is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

Arc is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash bum" from surrounding welders.

# SEALED

## Crossovr™ ANSI • CE • CSA •



Removable indirect vented rolled rubber gasket  
// Adjustable detachable strap with quick release

### Black and Gray Frame | 3 Variations

- SBG10610DT ••• Clear H2MAX AF
- SBG10620DT ••• Gray H2MAX AF
- SBG10680DT ••• I/O Mirror AF

### Gray and Lime Frame | 1 Variation

- SGL10610DT ••• Clear H2MAX AF



## Isotope™ ANSI • CE • CSA • Ballistic •



Dielectric // Interchangeable temples and neoprene strap // Temples adjust to three different lengths // Frame features a rubber gasket // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap // Passes D3: Droplet and Splash Test when worn with strap

### Black Frame | 4 Variations

- GB9410STM •••• Clear H2MAX AF
- GB9420STM •••• Gray H2MAX AF
- GB9430STM •••• Amber H2MAX AF
- GB9480ST •••• I/O Mirror AF



WATCH THE VIDEO  
Vimeo.com/Pyramex/Isotope



## Torser™ ANSI • CE • CSA •



Dielectric // Flexible rubber gasket // Ratchet elastic headband with quick-fit retainer // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

### Black Body | 3 Variations

- GB10010TM •••• Clear H2MAX AF
- GB10020TM •••• Gray H2MAX AF
- GB10025TM •••• Light Gray H2MAX AF



## I-Force® and I-Force Slim ANSI • CE • CSA • AS • Ballistic •



Dual pane lens // Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging // Outside lens is coated with anti-fog treatment // Quick release interchangeable temples and strap // Removable vented flame resistant foam carriage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### I-Force Black Frame | 4 Variations

- SB7010SDT •••• Clear Dual Pane H2X AF
- SB7020SDT •••• Gray Dual Pane H2X AF
- SB7030SDT •••• Amber Dual Pane H2X AF
- SB7080SDT •••• I/O Mirror Dual Pane AF

### I-Force Slim Black Frame | 3 Variations

- SB7010SDNT •••• Clear Dual Pane H2X AF
- SB7020SDNT •••• Gray Dual Pane H2X AF
- SB7080SDNT •••• I/O Mirror Dual Pane AF



WATCH THE VIDEO  
Vimeo.com/Pyramex/I-Force



I-Force Slim is about 6% smaller than the I-Force.

**V2G®** ANSI • CE • CSA • AS • Ballistic •



Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 8 Variations**

- GB1810ST •••• Clear H2X AF
- GB1810STM •••• Clear H2MAX AF
- GB1820ST •••• Gray H2X AF
- GB1820STM •••• Gray H2MAX AF
- GB1830ST •••• Amber H2X AF
- GB1850SFT •• 5.0 IR Filter H2X AF
- GB1860SFT •• 3.0 IR Filter H2X AF
- GB1880ST •••• I/O Mirror AF



**V2G Rx Insert**

RX1800  
Securely snaps into place above nosepiece // Includes micro-fiber storage case // Accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

**i** V2G Readers on page 73.



**Highlander™** ANSI • CE •



Removable soft foam carriage // Durable frame with detachable strap

**Black Frame | 5 Variations**

- SBB5010DT •••• Clear H2X AF
- SBB5020DT •••• Gray H2X AF
- SBB5055DT •••• Sky Red Mirror AF
- SBB5070DT •••• Silver Mirror AF
- SBB5080DT •••• I/O Mirror AF



SBR50

SSB50

**Black and Red Frame | 2 Variations**

- SBR5010DT •••• Clear H2X AF
- SBR5020DT •••• Gray H2X AF

**Black and Silver Frame | 2 Variations**

- SSB5020DT •••• Gray H2X AF
- SSB5065DT •••• Ice Blue Mirror AF

**i** Highlander is partially foam padded which allows for airflow.

**V3T™** ANSI • CSA •



Vented lens and frame // Quick release strap // Flame resistant foam padding

**Black Frame | 4 Variations**

- SB10310ST •••• Clear H2X AF
- SB10320ST •••• Gray H2X AF
- SB10330ST •••• Amber H2X AF
- SB10380ST •••• I/O Mirror AF



**Fyxate™** ANSI • CSA •



Dielectric // Rubber temple tips and nosepiece // Single wraparound lens // Flame resistant foam padding available on select options // Quick release strap available on foam padded options only

**Lens and Temples | 5 Variations**

- SB10210S •••• Clear
- SB10210ST •••• Clear H2X AF
- SB10220S •••• Gray
- SB10220ST •••• Gray H2X AF
- SB10280S •••• I/O Mirror

**Foam Padded | 2 Variations**

- SB10210STMFP •••• Clear H2MAX AF
- SB10220STMFP •••• Gray H2MAX AF



**Highlander™ Plus** ANSI • CE • CSA • Ballistic •



Removable indirect vented flame resistant foam carriage // Detachable strap // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black and Gray Frame | 5 Variations**

- SBG5010DT •••• Clear H2X AF
- SBG5020DT •••• Gray H2X AF
- SBG5030DT •••• Amber H2X AF
- SBG5055DT •••• Sky Red Mirror AF
- SBG5080DT •••• I/O Mirror AF



**i** Highlander Plus is partially foam padded which allows for airflow.

**XSG®** ANSI • CE • CSA •**Black Frame | 4 Variations**

GB4010ST •••	Clear H2X AF
GB4010STM •••	Clear H2MAX AF
GB4020ST •••	Gray H2X AF
GB4080ST •••	I/O Mirror AF

**i** XSG Readers on page 73.

**XSG Kit** ANSI • CE • Ballistic •

Interchangeable lenses, temples, and strap //  
Black nylon case for storage // Passes Ballistic  
MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 3 Interchangeable Options**

GB4010KIT •••	Clear H2X AF	Gray H2X AF	Amber H2X AF
---------------	--------------	-------------	--------------

**XS3 PLUS®** ANSI • CSA • AS •

Unique slim temple design  
with co-injected temple tips //  
Flame resistant foam padding //  
Detachable strap

**Black Frame | 3 Variations**

SB4610STP •••	Clear H2X AF
SB4620STP •••	Gray H2X AF
SB4680STP •••	I/O Mirror AF

**PMXCEL®** ANSI •

Flame resistant inner  
foam padding //  
Detachable strap

**Black Frame | 3 Variations**

SB7310DT •••	Clear AF
SB7320DT •••	Gray AF
SB7321DT •••	Polarized Gray AF

**Proximity®** ANSI • CE • CSA •

Removable flame resistant  
foam padding // Lightweight  
spectacle – 26.3gm // Slim  
co-injected temples

**Black Frame | 6 Variations**

SB9310ST •••	Clear H2X AF
SB9310STM •••	Clear H2MAX AF
SB9323ST •••	Dark Gray H2X AF
SB9323STM •••	Dark Gray H2MAX AF
SB9330ST •••	Amber H2X AF
SB9380ST •••	I/O Mirror AF

**Accurist®** ANSI • CSA •

Flame resistant foam padding  
// Built-in rubber nosepiece //  
Co-injected temple tips



SBR87

**Black Frame | 4 Variations**

SB8710DTP •••	Clear AF
SB8720DTP •••	Gray AF
SB8725DTP •••	Light Gray AF
SB8770DP •••	Silver Mirror

**Black and Red Frame | 2 Variations**

SBR8710DTP •••	Clear AF
SBR8720DTP •••	Gray AF



# FULL FRAME

## Conaire™ ANSI • CSA •



Lightweight // Rubber temples

### Black Frame | 2 Variations

- SB10710D •• Clear
- SB10720D •• Gray



## Velar™ ANSI • CE • CSA •



Built-in rubber nosepiece // Co-injected rubber temples

### Black Frame | 3 Variations

- SB10410D ••• Clear
- SB10420D ••• Gray
- SB10465D ••• Ice Blue Mirror

### Black and Red Frame | 1 Variation

- SBRF10445D ••• Ice Orange Mirror

### White and Blue Frame | 1 Variation


- SWBL10465D ••• Ice Blue Mirror

### White and Red Frame | 1 Variation

- SWR10455D ••• Sky Red Mirror



## Exeter® ANSI • CE • AS •



Built-in rubber nosepiece // Co-injected rubber temples // Extended lens

### Glossy Black Frame | 7 Variations

- SB5110DT ••• Clear H2X AF
- SB5120DT ••• Gray H2X AF
- SB5133DT ••• Shooter's Amber H2X AF
- SB5155DT ••• Sky Red Mirror AF
- SB5170DT ••• Silver Mirror AF
- SB5175DT ••• Blue Mirror AF
- SB5180DT ••• I/O Mirror AF



## Goliath® ANSI • CE • CSA • AS •



Co-injected rubber temples

### Black Frame | 9 Variations

- SB5610D ••• Clear
- SB5610DT ••• Clear H2X AF
- SB5620D ••• Gray
- SB5620DT ••• Gray H2X AF
- SB5621D ••• Polarized Gray
- SB5645D ••• Ice Orange Mirror
- SB5665D ••• Ice Blue Mirror
- SB5670D ••• Silver Mirror
- SB5680D ••• I/O Mirror



### White Frame | 3 Variations

- SW5620D ••• Gray
- SW5655D ••• Sky Red Mirror
- SW5665D ••• Ice Blue Mirror



**Solara®** ANSI •



Straight back temples with rubber insert // Built-in rubber nosepiece // Extended lens

**Black Frame | 5 Variations**

- SB4310D • Clear
- SB4320D • Gray
- SB4360D • Infinity Blue
- SB4375D • Blue Mirror
- SB4380D • I/O Mirror

**Translucent Gray Frame | 3 Variations**

- STG4310D • Clear
- STG4320D • Gray
- STG4370D • Silver Mirror



STG43



**Outlander®** ANSI •



Dual lens style with wide temples // Soft nosepiece

**Black Frame | 4 Variations**

- SB8010D • Clear
- SB8020D • Gray
- SB8065D • Ice Blue Mirror
- SB8070D • Silver Mirror



**Furix®** ANSI •

Lightweight contemporary frame // Straight back temples

**Black Frame | 4 Variations**

- SB8510DT • Clear AF
- SB8515DT • Coffee AF
- SB8520DT • Gray AF
- SB8575DT • Blue Mirror AF



**Azera®** ANSI •



Straight back temples // Built-in rubber flange nosepiece

**Black Frame | 2 Variations**

- SB4410D • Clear
- SB4420D • Gray



**Trifecta®** ANSI •

Provides excellent eye protection for work environments with high humidity that require impact protection // Meets ANSI Z87.1 requirements for screen lenses

**Black Frame | 2 Variations**

- SB74WMD • Black Wire Mesh
- SB76WMD • Black Punched Steel



SB74



**Zone II®** ANSI • CE • AS •



Built-in rubber nosepiece // Rubber coated temple tips

**Matte Black Frame | 6 Variations**

- SB3310E • Clear
- SB3320E • Gray
- SB3345E • Ice Orange Mirror
- SB3365E • Ice Blue Mirror
- SB3370E • Silver Mirror
- SB3380E • I/O Mirror

**Silver Frame | 5 Variations**

- SS3320E • Gray
- SS3345E • Ice Orange Mirror
- SS3365E • Ice Blue Mirror
- SS3370E • Silver Mirror
- SS3375E • Blue Mirror



SS33



**Monitor™** ANSI •

Conventional plastic frame with wire core temple for easy adjustment

**Caramel Frame | 1 Variation**

- SC210C • Clear



**Pathfinder™** ANSI •

Metal frame features traditional aviator style // Integrated side shields

**Gold Metal Frame | 1 Variation**

- SG310A • Clear



# HALF FRAME

## Ever-Lite® ANSI • CE • CSA •



Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm



### Black Frame | 19 Variations

SB8610D •••	Clear	SB8630D •••	Amber
SB8610DT •••	Clear H2MAX AF	SB8650SF ••	5.0 IR Filter
SB8610DTM •••	Clear H2MAX AF	SB8660D •••	Infinity Blue
SB8620D •••	Gray	SB8660DT •••	Infinity Blue H2X AF
SB8620DT •••	Gray H2X AF	SB8660DTM •••	Infinity Blue H2MAX AF
SB8620DTM •••	Gray H2MAX AF	SB8660SF ••	3.0 IR Filter
SB8623D ••	Dark Gray	SB8665D •••	Ice Blue Mirror
SB8623DT •••	Dark Gray H2X AF	SB8680D •••	I/O Mirror
SB8624D •••	Photochromic	SB8680DT •••	I/O Mirror AF
SB8625DTM •••	Light Gray H2MAX AF		

**i** Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.  
Ever-Lite Readers on page 71.

## Sitecore™ ANSI • CE • CSA •



Built-in rubber nosepiece // Flexible and ventilated temples // Ratcheting temples // Temples adjust to three different lengths



### Black and Gray Frame | 6 Variations

SBG10110D ••	Clear
SBG10110DTM •••	Clear H2MAX AF
SBG10120D ••	Gray
SBG10120DTM •••	Gray H2MAX AF
SBG10130D ••	Amber
SBG10180D •••	I/O Mirror

### Gray and Lime Frame | 5 Variations

SGL10110D •••	Clear
SGL10110DTM ••••	Clear H2MAX AF
SGL10120D ••••	Gray
SGL10120DTM ••••	Gray H2MAX AF
SGL10180D ••••	I/O Mirror



SBG101

## Flex-Lyte™ ANSI • CE • CSA •



Soft nosepiece for snug fit // Special dielectric hinge design // Slim co-injected temples channel away sweat // Lightweight spectacle – 22 gm



SBG105

### Black and Gray Frame | 5 Variations

SBG10510D ••	Clear
SBG10510DTM •••	Clear H2MAX AF
SBG10520D •••	Gray
SBG10520DTM •••	Gray H2MAX AF
SBG10580D •••	I/O Mirror

### Black and Lime Frame | 5 Variations

SBL10510D •••	Clear
SBL10510DTM ••••	Clear H2MAX AF
SBL10520D ••••	Gray
SBL10520DTM ••••	Gray H2MAX AF
SBL10580D ••••	I/O Mirror

## Venture 3® ANSI • CE • CSA • AS • Ballistic •



Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



### Black Frame | 9 Variations

SB5710D ••••	Clear
SB5710DT •••••	Clear H2X AF
SB5710DTM •••••	Clear H2MAX AF
SB5720D ••••	Gray
SB5720DT •••••	Gray H2X AF
SB5730D •••••	Amber
SB5760D ••••	Infinity Blue
SB5770D •••••	Silver Mirror
SB5780D ••••	I/O Mirror

**i** Venture 3 retail packaged products on page 143.





**Venture II®** ANSI • CE • CSA • Ballistic •



Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 15 Variations**

- SB1810S • Clear
- SB1810ST • Clear H2X AF
- SB1820S • Gray
- SB1820ST • Gray H2X AF
- SB1830S • Amber
- SB1835S • Sun Block Bronze
- SB1840S • Orange
- SB1850SF • 5.0 IR Filter
- SB1860S • Infinity Blue
- SB1860SF • 3.0 IR Filter
- SB1870S • Silver Mirror
- SB1875S • Blue Mirror
- SB1880S • I/O Mirror
- SB1880ST • I/O Mirror AF
- SB1890S • Gold Mirror



**Venture II Readers on page 71.**



**Realtree Hardwoods HD® Frame | 3 Variations**

- SH1810S • Clear
- SH1820S • Gray
- SH1830S • Amber

**Maroon Frame | 1 Variation**

- SMM1810S • Clear

**Slate Gray Frame | 1 Variation**

- SSG1810S • Clear

**Metallic Blue Frame | 3 Variations**

- SMB1810S • Clear
- SMB1820S • Gray
- SMB1880S • I/O Mirror



**V2® Metal** ANSI • CE • CSA •



Spring loaded temples allows for easy positioning // Contemporary metal frame and temples fit most facial sizes

**Gun Metal Frame | 2 Variations**

- SGM1810S • Clear
- SGM1820S • Gray



**Gravex®** ANSI •

Built-in nosepiece

**Black Frame | 4 Variations**

- SB8910S • Clear
- SB8910ST • Clear H2X AF
- SB8920S • Gray
- SB8980S • I/O Mirror



**PMXTREME®** ANSI • CE •



Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

**Black Frame with Cord | 11 Variations**

- SB6310SP • Clear
- SB6310STP • Clear AF
- SB6320SP • Gray
- SB6320STP • Gray AF
- SB6330SP • Amber
- SB6345SP • Ice Orange Mirror
- SB6360SP • Infinity Blue
- SB6370SP • Silver Mirror
- SB6375SP • Blue Mirror
- SB6376SP • Smoke Green Mirror
- SB6380SP • I/O Mirror

**Camo Frame with Cord | 3 Variations**

- SCM6310STP • Clear AF
- SCM6318STP • Sandstone Bronze AF
- SCM6320STP • Gray AF



**Red Frame with Cord | 1 Variation**

- SR6320SP • Gray



**PMXTREME Readers on page 72.**



**PMXTREME LED** ANSI • CE •



Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple

**Black Frame | 2 Variations**

- SB6310SPLED • Clear
- SB6310STPLED • Clear AF

**PMXTREME LED Readers on page 72.**



**PMXTREME Rx** ANSI •



Includes RX insert which accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

**Black Frame | 2 Variations**

- SB6310STRX • Clear AF
- SB6320STRX • Gray AF

## Rendezvous® ANSI • CE • Ballistic •



Adjustable nosepiece // Temples adjust to four different lengths // Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Black Frame | 10 Variations

SB2810S	•••	Clear
SB2810ST	•••	Clear H2X AF
SB2820S	•••	Gray
SB2820ST	•••	Gray H2X AF
SB2830S	•••	Amber
SB2840S	•••	Orange
SB2860S	•••	Infinity Blue
SB2860ST	•••	Infinity Blue H2X AF
SB2870S	•••	Silver Mirror
SB2880S	•••	I/O Mirror



### Crystal Blue Frame | 1 Variation

SCB2810S	••	Clear
----------	----	-------

### Crystal Gray Frame | 1 Variation

SCG2810ST	••	Clear H2X AF
-----------	----	--------------



## Reatta® ANSI •



Adjustable rubber nosepiece // Straight back flexible temples // Vented lens allows air flow to prevent fogging

### Charcoal Frame | 2 Variations


SCH4810DT	•	Clear H2X AF
SCH4820D	•	Gray

### Charcoal and Blue Frame | 3 Variations

SNC4810D	•	Clear
SNC4820D	•	Gray
SNC4880D	•	I/O Mirror



## Ionix® ANSI • CSA • Ballistic •



Built-in rubber nosepiece // Flexible and ventilated temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Black Frame | 6 Variations

SB8110D	•••	Clear
SB8110DT	•••	Clear AF
SB8120D	•••	Gray
SB8120DT	•••	Gray AF
SB8165D	•••	Ice Blue Mirror
SB8170D	•••	Silver Mirror



## Onix® ANSI • CE • AS • Ballistic •



Ratcheting co-injected temples // Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Black Frame | 4 Variations

SB4910S	•••	Clear
SB4910ST	•••	Clear H2X AF
SB4920S	•••	Gray
SB4980S	•••	I/O Mirror

### Black and Green Frame | 1 Variation

SGR4910ST	••	Clear H2X AF
-----------	----	--------------



### Black and Pink Frame | 1 Variation

SP4910S	••	Clear
---------	----	-------



**i** Onix retail packaged products on page 143.

## Onix Plus ANSI • CE • AS •



Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed

### Black Frame | 2 Variations

SB4950STP	•••	Clear with 5.0 IR H2X AF
SB4960STP	•••	Clear with 3.0 IR H2X AF



## Fortress® ANSI •



Adjustable rubber nosepiece // Straight-back rubber coated temple tips // Vented lens allows airflow to prevent fogging

### Black Frame | 4 Variations

SB3710D	•	Clear
SB3710DT	•	Clear AF
SB3720D	•	Gray
SB3780D	•	I/O Mirror



### Gray Frame | 1 Variation

SG3710D	•	Clear
---------	---	-------

### Silver Frame | 2 Variations

SS3710D	•	Clear
SS3720D	•	Gray



**Integra®** ANSI • CE • CSA •



Adjustable temples ensure reliable performance



**Black Frame | 5 Variations**

- SB410S • Clear
- SB410ST • Clear AF
- SB420S • Gray
- SB450SF • 5.0 IR Filter
- SB460SF • 3.0 IR Filter

**Black Ratchet Frame | 1 Variation**

- SB410SR • Clear



**Mixed Blue Frame | 1 Variation**

- SM410S • Clear

**Blue Frame | 1 Variation**

- SN410S • Clear

**Red, White & Blue Frame | 1 Variation**

- SNWR410S • Clear

**Red Frame | 1 Variation**

- SR410S • Clear

**Avanté®** ANSI •



Vented frame // Flexible temples // Built-in rubber nosepiece



**Black Frame | 7 Variations**

- SB4510D • Clear
- SB4520D • Gray
- SB4530D • Amber
- SB4560D • Infinity Blue
- SB4570D • Silver Mirror
- SB4575D • Blue Mirror
- SB4580D • I/O Mirror

**Gun Metal | 2 Variations**

- SGM4510D • Clear
- SGM4520D • Gray



**Silver Frame | 5 Variations**

- SS4510D • Clear
- SS4520D • Gray
- SS4545D • Ice Orange Mirror
- SS4580D • I/O Mirror
- SS4585D • Ice Blue Mirror

**Silver and Black Frame | 3 Variations**

- SSB4510D • Clear
- SSB4520D • Gray
- SSB4570D • Silver Mirror

**Surveyor®** ANSI •



Rubber comfort-fit temples // Soft nosepiece

**Black Temples | 4 Variations**

- SB6110ST • Clear AF
- SB6120S • Gray
- SB6145S • Ice Orange Mirror
- SB6170S • Silver Mirror



**Pacifica®** ANSI •




Vented rubber frame // Brow guard // Adjustable ratchet temples

**Black Frame | 2 Variations**

- SB3410S • Clear
- SB3420S • Gray



**Forum®** ANSI • Ballistic •



Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

**Black Frame | 3 Variations**

- SB6610D • Clear
- SB6620D • Gray
- SB6680D • I/O Mirror



**Mayan®** ANSI • CE •



Integrated nosepiece // Sleek in-line ratchet temples

**Black Frame | 1 Variation**

- SB2610D • Clear



# FRAMELESS



## Endeavor™ Plus ANSI • CSA •



Built-in brow guard // Special dielectric hinge design // Curved co-injected temples // One-piece wraparound lens // Soft adjustable nosepiece // Foam padding is available in select options

### Black and Gray Temples | 5 Variations

SBG9610S ••	Clear
SBG9610ST ••	Clear H2X AF
SBG9620S ••	Gray
SBG9620ST ••	Gray H2X AF
SBG9680S ••	I/O Mirror

### Black and Green Temples | 4 Variations

SBGR9610S ••	Clear
SBGR9610ST ••	Clear H2X AF
SBGR9620S ••	Gray
SBGR9680S ••	I/O Mirror



### Black and Gray Temples with Foam Padding | 2 Variations

SBG9610STMFP ••	Clear H2MAX AF
SBG9620STMFP ••	Gray H2MAX AF


### Black and Green Temples with Foam Padding | 2 Variations

SBGR9610STMFP ••	Clear H2MAX AF
SBGR9620STMFP ••	Gray H2MAX AF

### Black and Pink Temples | 2 Variations

SBP9610S ••	Clear
SBP9610ST ••	Clear H2X AF

## Intrepid® II ANSI • CE • Ballistic •




Nosepiece flange eliminates pressure on bridge of nose by evenly distributing weight of glass // Flexible rubber temples provide pressure-free fit behind the ear // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Black Temples | 5 Variations

SB8810S ••••	Clear
SB8820S ••••	Gray
SB8830S ••••	Amber
SB8835S ••••	Sun Block Bronze
SB8880S ••••	I/O Mirror



## TruLock® ANSI • CE • CSA •



Dielectric // Lightweight spectacle – 21 gm // Patented temples lock into place

### Black Temples | 8 Variations

SB9510S ••••	Clear
SB9510ST ••••	Clear H2X AF
SB9520S ••••	Gray
SB9520ST ••••	Gray H2X AF
SB9530S ••••	Amber
SB9556S ••••	Multi-color Mirror
SB9580S ••••	I/O Mirror
SB9580ST ••••	I/O Mirror AF



WATCH THE VIDEO  
Vimeo.com/Pyramex/TruLock

## TruLock Multi-Colors ANSI • CE • CSA •


Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary



### Multi-Color Temples | 2 Variations

S9510SMP ••••	Clear
S9520SMP ••••	Gray

## Itek® ANSI • CE • CSA • AS • Ballistic •



Integrated nosepiece with rubber posts // Soft co-injected rubber temple tips // Lens provides excellent side protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Lens and Temples | 10 Variations

S5810S •••••	Clear
S5810ST •••••	Clear H2X AF
S5810STM •••••	Clear H2MAX AF
S5820S •••••	Gray
S5820ST •••••	Gray H2X AF
S5830S •••••	Amber
S5860S •••••	Infinity Blue
S5870S •••••	Silver Mirror
S5875S •••••	Blue Mirror
S5880S •••••	I/O Mirror



**Cortez®** ANSI • CE •

Durable co-injected temples // Ribbed cushioned nosepiece

**Apple Temples | 1 Variation**

SA3610S • Clear

**Black Temples | 4 Variations**

SB3610S • Clear  
SB3610ST • Clear H2X AF  
SB3620S • Gray  
SB3680S • I/O Mirror

**Orange Temples | 1 Variation**

S03610S • Clear

**Gray Temples | 2 Variations**

SG3610S • Clear

SG3620S • Gray

**Navy Temples | 1 Variation**

SN3610S • Clear

**PMXSLIM®** ANSI • CE • AS •

Slim fit for smaller facial features // Soft adjustable nosepiece // Co-injected temple design includes soft rubber tips for a non-slip fit

**Black Temples | 6 Variations**

SB7110S • Clear  
SB7110ST • Clear H2X AF  
SB7120S • Gray  
SB7120ST • Gray H2X AF  
SB7138S • Sandstone Bronze  
SB7180S • I/O Mirror

**Neshoba™** ANSI • CE • CSA •

Frameless design with thin flexible temples // Ultra lightweight spectacle – 16 gm

**Black Temples | 10 Variations**

S9710S • Clear  
S9710ST • Clear H2X AF  
S9710STM • Clear H2MAX AF  
S9720S • Gray  
S9720ST • Gray H2X AF  
S9720STM • Gray H2MAX AF  
S9730S • Amber  
S9760S • Infinity Blue  
S9770S • Silver Mirror  
S9780S • I/O Mirror

**Ztek®** ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

**Lens and Temples | 18 Variations**

S2510S • Clear  
S2510ST • Clear H2X AF  
S2514S • 1.5 IR Filter  
S2515S • Coffee  
S2520S • Gray  
S2520ST • Gray H2X AF  
S2530S • Amber  
S2540S • Orange  
S2550SF • 5.0 IR Filter  
S2560S • Infinity Blue  
S2560SF • 3.0 IR Filter  
S2560ST • Infinity Blue H2X AF  
S2565S • Purple Haze  
S2570S • Silver Mirror  
S2575S • Blue Mirror  
S2580S • I/O Mirror  
S2590S • Gold Mirror  
S25ARCS • Arc – 1.5 IR Filter

**Mini Ztek** ANSI • CE • CSA •

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

**i** Mini Ztek is about 6% smaller than the Ztek.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

Ztek Readers on page 72.

**Lens and Temples | 8 Variations**

S2510SN • Clear  
S2510SNT • Clear H2X AF  
S2517SN • Pink  
S2520SN • Gray  
S2530SN • Amber  
S2560SN • Infinity Blue  
S2575SN • Blue Mirror  
S2580SN • I/O Mirror

**Provoq®** ANSI • CSA •

Soft nosepiece // Rubber temples

**Black Temples | 11 Variations**

S7210S • Clear  
S7210ST • Clear AF  
S7220S • Gray  
S7220ST • Gray AF  
S7230S • Amber  
S7255S • Multi-Color Mirror  
S7260S • Infinity Blue  
S7270S • Silver Mirror  
S7275S • Blue Mirror  
S7280S • I/O Mirror  
S7280ST • I/O Mirror AF



SP72

**Pink Temples | 1 Variation**

SP7210ST • Clear AF

## Intruder® ANSI • CE • CSA •



Integrated nosepiece // Lightweight frameless protection // Foam padding is available in select options



### Lens and Temples | 11 Variations

- S4110S •• Clear
- S4110ST •• Clear AF
- S4110SUC •• Uncoated Clear
- S4120S •• Gray
- S4120ST •• Gray AF
- S4130S •• Amber
- S4160S •• Infinity Blue
- S4170S •• Silver Mirror
- S4175S •• Blue Mirror
- S4180S •• I/O Mirror
- S4180ST •• I/O Mirror AF

### Foam Padded Frame | 3 Variations

- S4110STFP •• Clear AF
- S4120STFP •• Gray AF
- S4180STFP •• I/O Mirror AF

### Black Temples | 1 Variation

- SB4110S •• Clear

### Blue Temples | 1 Variation

- SN4110S •• Clear

### Red Temples | 1 Variation

- SR4110S •• Clear



**i** Intruder Readers on page 73.

## Mini Intruder ANSI •

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial sizes

### Lens and Temples | 5 Variations

- S4110SN •• Clear
- S4110SNT •• Clear AF
- S4120SN •• Gray
- S4130SN •• Amber
- S4180SN •• I/O Mirror



**i** Mini Intruder is about 8% smaller than the Intruder.

## Intruder and Mini Intruder Multi-Colors

ANSI • CE • CSA •

Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary

### Multi-Color Temples | 2 Variations

- S4110SMP •• Clear (Intruder)
- S4110SNMP •• Clear (Mini Intruder)



## Achieva® ANSI •



Brow guard // Built-in rubber nosepiece // Unique rubber temple tips

### Gray Temples Tips | 3 Variations

- SG6510S •• Clear
- SG6510ST •• Clear H2X AF
- SG6520S •• Gray

### Pink Temples Tips | 1 Variation

- SP6510S •• Clear



## Atoka® ANSI • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

### Lens and Temples | 8 Variations

- S9110S •• Clear
- S9110ST •• Clear AF
- S9120S •• Gray
- S9120ST •• Gray AF
- S9130S •• Amber
- S9160S •• Infinity Blue
- S9180S •• I/O Mirror
- S9180ST •• I/O Mirror AF



## Alair® ANSI • CE •

Straight temples // Integrated nosepiece

### Lens and Temples | 7 Variations

- S3210S •• Clear
- S3210ST •• Clear H2X AF
- S3220S •• Gray
- S3260S •• Infinity Blue
- S3270S •• Silver Mirror
- S3275S •• Blue Mirror
- S3280S •• I/O Mirror



## Fastrac® ANSI •



Dielectric // Frame/lens combination provides maximum single lens protection

### Lens and Temples | 2 Variations

- S1410S •• Clear
- S1420S •• Gray



# READERS

## Emerge® Plus ANSI • CSA •



Rubber temple tips // Soft nosepiece provides comfort for extended use



### Full Readers Translucent Gray Frame | 7 Variations

SG9810R15	••	Clear	+1.5 Mag
SG9810R20	••	Clear	+2.0 Mag
SG9810R25	••	Clear	+2.5 Mag
SG9810R30	••	Clear	+3.0 Mag
SG9820R15	••	Gray	+1.5 Mag
SG9820R20	••	Gray	+2.0 Mag
SG9820R25	••	Gray	+2.5 Mag

### Top Insert Readers Translucent Gray Frame | 2 Variations

SG9810TR15	••	Clear	+1.5 Mag
SG9810TR20	••	Clear	+2.0 Mag

**i** The top insert reader for the EmERGE Plus is strategically placed for applications in which user is frequently looking up.



## Emerge ANSI • CE • CSA •



Soft nosepiece provides comfort for extended use // RX options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable

### Black Frame | 3 Variations

SB7910DRX	•••	Clear	
SB7910D15	••	Clear	+1.5 Mag
SB7910D20	••	Clear	+2.0 Mag

### Translucent Gray Frame | 3 Variations

SG7910DRX	•••	Clear	
SG7910D15	••	Clear	+1.5 Mag
SG7910D20	••	Clear	+2.0 Mag

**i** Frame must be presented to your optometrist in order to be fitted with prescription lenses.



SG79

## Ever-Lite® Readers ANSI • CSA •

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm

### Black Frame | 7 Variations

SB8610R15	••	Clear	+1.5 Mag
SB8610R20	••	Clear	+2.0 Mag
SB8610R25	••	Clear	+2.5 Mag
SB8610R30	••	Clear	+3.0 Mag
SB8620R15	••	Gray	+1.5 Mag
SB8620R20	••	Gray	+2.0 Mag
SB8620R25	••	Gray	+2.5 Mag

**i** See more Ever-Lite options on page 56.



## Venture II® Readers ANSI • CE • CSA •

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping

### Black Frame | 18 Variations

SB1810R10	•••	Clear	+1.0 Mag
SB1810R15	•••	Clear	+1.5 Mag
SB1810R15T	•••	Clear H2X AF	+1.5 Mag
SB1810R20	•••	Clear	+2.0 Mag
SB1810R20T	•••	Clear H2X AF	+2.0 Mag
SB1810R25	•••	Clear	+2.5 Mag
SB1810R25T	•••	Clear H2X AF	+2.5 Mag
SB1810R30	•••	Clear	+3.0 Mag
SB1820R15	••	Gray	+1.5 Mag
SB1820R20	••	Gray	+2.0 Mag
SB1820R25	••	Gray	+2.5 Mag
SB1820R30	••	Gray	+3.0 Mag
SB1830R15	••	Amber	+1.5 Mag
SB1830R20	••	Amber	+2.0 Mag
SB1830R25	••	Amber	+2.5 Mag
SB1880R15	••	I/O Mirror	+1.5 Mag
SB1880R20	••	I/O Mirror	+2.0 Mag
SB1880R25	••	I/O Mirror	+2.5 Mag

**i** See more Venture II options on page 58.



## Ztek® Readers ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

### Lens and Temples | 8 Variations

S2510R15	•••	Clear	+1.5 Mag
S2510R20	•••	Clear	+2.0 Mag
S2510R25	•••	Clear	+2.5 Mag
S2514R15	•	1.5 IR Filter	+1.5 Mag
S2514R20	•	1.5 IR Filter	+2.0 Mag
S2520R15	•	Gray	+1.5 Mag
S2520R20	•	Gray	+2.0 Mag
S2520R25	•	Gray	+2.5 Mag



**i** See more Ztek options on page 67.

S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

## PMXTREME® Readers ANSI •

Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

### Black Frame with Cord | 3 Variations

SB6310SPR15	•	Clear	+1.5 Mag
SB6310SPR20	•	Clear	+2.0 Mag
SB6310SPR25	•	Clear	+2.5 Mag



**i** See more PMXTREME options on page 59.

## PMXTREME LED Readers ANSI •

Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple

### Black Frame | 3 Variations

SB6310STPLEDR15	•	Clear AF	+1.5 Mag
SB6310STPLEDR20	•	Clear AF	+2.0 Mag
SB6310STPLEDR25	•	Clear AF	+2.5 Mag



**i** See more PMXTREME LED options on page 59.

## Intruder® Readers ANSI •

Integrated nosepiece // Lightweight frameless protection

### Lens and Temples | 3 Variations

S4110R15	•	Clear	+1.5 Mag
S4110R20	•	Clear	+2.0 Mag
S4110R25	•	Clear	+2.5 Mag



**i** See more Intruder options on page 68.

## V2G® Readers ANSI • CSA •

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer

### Black Frame | 3 Variations

GB1810STR15	••	Clear H2X AF	+1.5 Mag
GB1810STR20	••	Clear H2X AF	+2.0 Mag
GB1810STR25	••	Clear H2X AF	+2.5 Mag



**i** See more V2G options on page 48.

## XSG® Readers ANSI • CSA •

Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included

### Black Frame | 3 Variations

GB4010STR15	••	Clear H2X AF	+1.5 Mag
GB4010STR20	••	Clear H2X AF	+2.0 Mag
GB4010STR25	••	Clear H2X AF	+2.5 Mag



**i** See more XSG options on page 50.



# OVER THE SPECTACLE

## OTS® and OTS XL ANSI • CE • CSA • AS •



Fits over prescription glasses // Lightweight nylon temples adjust for length and pitch

### OTS Black Temples | 7 Variations

- S3510SJ ••• Clear
- S3510STJ ••• Clear H2X AF
- S3520SJ ••• Gray
- S3530SJ ••• Amber
- S3550SFJ • 5.0 IR Filter
- S3560SFJ • 3.0 IR Filter
- S3580SJ ••• I/O Mirror



### OTS XL Black Temples | 4 Variations

- S7510SJ ••• Clear
- S7510STJ ••• Clear H2X AF
- S7520SJ ••• Gray
- S7580SJ ••• I/O Mirror



**i** OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.

## Solo® ANSI • CE • CSA •

Temples are vented to reduce fogging

### Lens and Temples | 4 Variations

- S510S ••• Clear
- S510SD • Clear Dispenser pack – 12 per box
- S510SJ • Clear Jumbo
- S520S • Gray



**i** Only S510SJ is designed to be used over prescription spectacles.

## Cappture™ and Cappture with Rubber Gasket ANSI • CE • CSA •



Dielectric // Fits over prescription glasses // Temples extend from browbar to avoid interference with prescription frame's temples // Rubber gasket is available in select options

### Lens and Temples | 3 Variations

- S9910ST ••• Clear H2X AF
- S9920ST ••• Gray H2X AF
- S9930ST • Amber H2X AF

### Rubber Gasket | 2 Variations

- S9910STM RG ••• Clear H2MAX AF
- S9920STM RG ••• Gray H2MAX AF

**i** Cappture retail packaged product on page 143.



## Defiant® ANSI • CE •



Tilt type adjustment allows optimum visibility // Temples adjust to four settings

### Black Temples | 2 Variations

- SB1010S • Clear
- SB1010SJ ••• Clear Jumbo

**i** Only SB1010SJ is designed to be used over prescription spectacles.









# GOGGLES

## Capstone® Shield ANSI • CE • CSA •

Fully adjustable elastic band // Fits over prescription glasses // Lens is coated to prevent fogging // GG504TSHIELD goggle has a dual pane lens // Soft vinyl goggle body conforms to facial contours // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Goggle combined with removable shield provides full face protection // Four ventilation holes provide airflow // Ratchet shield allows user to open or close in three positions for adjustment // Polycarbonate shield conforms to the face offering increased impact and dust protection

### Lens and Shield | 5 Variations

	GG504TSHIELD •••	Clear H2X AF
	GG504TSHIELD	Clear Dual Pane H2X AF
	GG504TSHIELDIR3 •••	3.0 IR Filter H2X AF
	GG504TSHIELDIR5 •••	5.0 IR Filter H2X AF
	GG524TSHIELD •••	Gray H2X AF

 Fits over most prescription glasses.

Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.



## Capstone Face Shield and Strap

### CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD and GG504TSHIELD



## Disposable Capstone Shield Visors

### VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments

## Capstone® Dual Lens ANSI • CE • CSA • AS • Ballistic •




Fully adjustable elastic strap // Fits over prescription glasses // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Soft vinyl goggle body conforms to facial contours // Provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



### Gray Body with Quick Release Strap | 1 Variation

	G504DT •••••	Clear Dual Pane H2X AF
---	--------------	------------------------

 Fits over most prescription glasses.

## Capstone 500 ANSI • CE • CSA • AS • Ballistic •


Fits over prescription glasses // Soft vinyl goggle body conforms to facial contours // Goggle provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // GG504T passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Gray Body with Quick Release Strap | 2 Variations

	GG504T •••••	Clear H2X AF
	GG504TM •••••	Clear H2MAX AF

### Chemical Green Body with Neoprene Strap | 1 Variation

	GC504TN •••••	Clear H2X AF
---	---------------	--------------

 Fits over most prescription glasses.



GC504TN

## Capstone® 600

ANSI • CE • CSA • AS • Ballistic •

Fits over prescription glasses // Indirect ventilation system prevents fogging // Includes interchangeable cloth and neoprene straps // Co-material goggle provides superior protection against dust entry and chemical splash // Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

### Gray Body with Adjustable Strap | 1 Variation

■	G604T2	•••••	Clear	H2X AF
---	--------	-------	-------	--------

**i** Fits over most prescription glasses.



## Capstone RL

ANSI • CE •



MULTI LENSES

Replaceable lens // Fits over prescription glasses // Indirect ventilation system prevents fogging // Co-material goggle provides superior protection against dust entry and chemical splash // Thermoplastic (TPE) body with universal nose bridge is flexible and conforms to facial contours // G804TRL passes D3: Droplet and Splash Test // G804TRL passes D4: Dust Test

### Gray Body with Neoprene Strap | 2 Variations

■	G804TRL	••	Clear	H2X AF
■	R804T	••	Replacement Clear	H2X AF

**i** Fits over most prescription glasses.



## V2G-Plus®

ANSI • CE • CSA • AS • Ballistic •



DUAL PANE LENS

Includes a wide adjustable elastic strap with quick release system for secure fit // TPU frame features excellent resistance to cold and heat // Thermo lens system provides excellent resistance to fog caused by temperature differences in your environment // Special indirect ventilation system located at the top and bottom of frame allows airflow and heat release // Multi-functional goggle with 180° vision protects against chemical splash, sun glare, dust, flying particles, and wind // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Inner lens is separated by a thin spacer of air and sealed together with foam // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Passes D3: Droplet and Splash Test

### Black Body with Strap | 2 Variations

■	G86410SDT	•••••	Clear Dual Pane	H2X AF
■	G86420SDT	•••••	Gray Dual Pane	H2X AF

### V2G-Plus Rx Insert

RX6400

Accommodates -3.0 to +3.0 prescription lenses // Securely snaps into place above nosepiece // Includes micro-fiber storage case // Take insert to local optometrist for Rx lens installation



## Top Shelf Chemical Splash Goggle

ANSI • CE • CSA •

Special one-way vent allows air in while keeping liquids out // Generously sized heavy duty body and lens // Fits over prescription spectacles // Tinted body helps reduce glare // G304TN comes with a neoprene strap // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

### Tinted Body with Black Strap | 2 Variations

■	G304	••	Clear	
■	G304T	••••	Clear	H2X AF

### Tinted Body with Neoprene Strap | 1 Variation

■	G304TN	•	Clear	H2X AF
---	--------	---	-------	--------

**i** Fits over most prescription glasses.



## Top Shelf Chemical Splash Goggle with Foam Padding

ANSI •



FOAM PADDING

Special one-way vent allows air to enter while keeping liquids out // Breakaway headband provides added protection and features quick-fit retainer // Fits over prescription spectacles // Tinted body helps reduce glare // Generously sized heavy duty body and lens with foam padding for comfort

### Tinted Body with Black Strap | 1 Variation

■	G404T	•	Clear	H2X AF
---	-------	---	-------	--------

**i** Fits over most prescription glasses.



## Low-Profile Chemical Splash Goggle

ANSI • CE •

Low-profile, modern sport design with anti-glare frame // Direct ventilation // Adjustable elastic band and soft PVC frame // Passes D3: Droplet and Splash Test

### Gray Body with Black Strap | 2 Variations

■	G704T	••	Clear	AF
■	G724T	••	Gray	AF



## Wire Mesh Goggle ANSI •

Single wire mesh lens with PVC frame // Ideal for: forestry, landscaping, and agriculture applications // For work environments with extreme heat and high humidity where impact protection is required // Low-profile design with wide elastic strap provides secure fit // Soft rubber gasket seals out unwanted particles and is comfortable for all day wear // Meets ANSI Z87.1 requirements for screen lenses

Black Body with Adjustable Strap | 1 Variation

■ G9WMG • Black Wire Mesh



## Chemical Splash Goggle ANSI •

Indirect ventilation // Designed to be better suited for slimmer facial sizes // Frame is extremely soft, flexible and lightweight

Blue Body with Adjustable Strap | 1 Variation

■ GN904 • Clear



## Chemical Splash Goggle ANSI •

Vent caps restrict influx of liquids

Clear Body with Black Strap | 2 Variations

■ G204 • Clear  
■ G204T • Clear AF



## Perforated Goggle ANSI •

Goggle provides excellent ventilation

Clear Body with Black Strap | 2 Variations

■ G201 • Clear  
■ G201T • Clear AF



## Ventless Goggle ANSI •

Goggle provides protection against vapors

Clear Body with Black Strap | 1 Variation

■ G200T • Clear H2X AF



# ACCESSORIES



CLIPCORDS Clip-On Cord

CORDS Lanyard Loop

CORDS1A Cotton Cord



CORDS7A Cord with Rubber Tips

CORDS8A Breakaway Cord

CORDS9A Bungee Cord



NEOCORD Neoprene Breakaway Cord

NEO1 Neoprene Cord



CA200B Zippered Case

CA500B Hard Case

NEOCASE Neoprene Case

PYRBAGS Cloth Drawstring Spectacle Bag [6.25" x 3.75"]



PYRBAGSU Suede Drawstring Spectacle Bag [6.25" x 3.75"]

CLEANCLOTH Nylon Microfiber Cleaning Cloth

IDBADGE Identification Badge Lanyard

SS100 Pliable Slip on Side Shields

Meets ANSI Z87.1 High Impact Requirements Only

**i** Products shown with cases are sold separately.



CRA003 60 Individually Packaged Fog Buster™ Towelettes



GALSOL Gallon of Lens Cleaning Solution



HCW100 100 Individually Packaged Alcohol Free Hygienic Wipes [5" x 8"]  
 HCW100A 100 Individually Packaged Alcohol Hygienic Wipes [5" x 8"]  
 HCW100XL 100 Individually Packaged Alcohol Free Hygienic Wipes [8" x 11"]

**i** Safe and effective for cleaning respirators, hard hat suspensions and other personal protective equipment, but not to be used on disposable particulate respirators.



LCC100 Canister with 100 Lens Cleaning Wet Tissues



LCS10 8 oz. Lens Cleaning Station with 600 Tissues



LCS20 16 oz. Lens Cleaning Station with 1,200 Tissues



LCT100 100 Individually Packaged 5x8 Cleaning Towelettes

LT300 Refill Tissues for LCS10 and LCS20

LCB16 16 oz. Cleaning Solution Replacement Bottle with Pump

LCTBULK 100 Individually Packaged 5x8 Cleaning Towelettes in a bag

**i** Packaging for cleaning products may vary. Products shown with displays are sold separately.



DIS5BL Stationary Display - holds up to 5 units



DIS9TR Stationary Display - holds up to 9 units



DIS10 Stationary Display - holds up to 10 units



DISPLAY Rotating Display - holds up to 36 units

